

Cristina Nita-Rotaru



CS505: Distributed Systems

Chubby. Zookeeper

REQUIRED READING

- ▶ The Chubby Lock Service for Loosely-Coupled Distributed Systems OSDI 2006.
- ▶ ZooKeeper: Wait-free coordination for Internet-scale systems. Usenix 2010
- ▶ Zab: High-performance broadcast for primary-backup systems. DSN 2011

- ▶ Slides prepare from talks of Chubby and Zookeeper authors





1: Chubby

Chubby

- ▶ **A coarse-grained lock service**
 - ▶ Provides a means for distributed systems to synchronize access to shared resources
 - ▶ Uses advisory locks
- ▶ Intended for use by “loosely-coupled distributed systems”
- ▶ **Goals**
 - ▶ High availability
 - ▶ Reliability
 - ▶ Small storage
 - ▶ Easy-to-understand semantics

Advisory vs. Mandatory Locking

- ▶ **Advisory (unenforced) locking:**
 - ▶ Requires cooperation from the participating processes to ensure serialization.
 - ▶ Each process tries to acquire a lock before writing.
- ▶ **Mandatory locking:**
 - ▶ Does not require cooperation from the participating processes.
 - ▶ Kernel checks every open, read, and write to verify that the calling process is not violating a lock on the given file.

Why Not Mandatory Locks?

- ▶ Locks represent client-controlled resources; how can Chubby enforce this?
- ▶ Mandatory locks imply shutting down client apps entirely to do debugging
 - ▶ Shutting down distributed applications much trickier than in single-machine case

How is Chubby Used at Google

- ▶ GFS: Elect a master
- ▶ BigTable: master election, client discovery, table service locking
- ▶ Well-known location to bootstrap larger systems: store small amount of meta-data, as the root of the distributed data structures
- ▶ Partition workloads
- ▶ Name service because of its consistent client caching
- ▶ Locks are coarse: held for hours or days

External Interface

- ▶ Organized as cells (5 replicas)
- ▶ Presents a simple distributed file system
- ▶ Clients can open/close/read/write files
 - ▶ Reads and writes are whole-file
 - ▶ Supports advisory reader/writer locks
 - ▶ Clients can register for notification of file update


How are Files used as Locks

- ▶ **Files can have several attributes**
 - ▶ The contents of the file is one (primary) attribute
 - ▶ Owner of the file
 - ▶ Permissions
 - ▶ Date modified
 - ▶ Whether the file is locked or not

Example: Use Chubby for Master Election

- ▶ All replicas try to acquire a write lock on a designated file.
- ▶ The replica who gets the lock is the master.
- ▶ Master can then write its address to file; other replicas can read this file to discover the chosen master name.
- ▶ Chubby can also be used as a name service.

Chubby Cell



Chubby and Consensus

- ▶ Chubby cell is usually 5 replicas ($2f+1$), tolerates 2 failures
 - ▶ 3 replicas must be alive for cell to work (otherwise it blocks)
- ▶ Replicas in Chubby must agree on their own master and official lock values
- ▶ Uses PAXOS algorithm (provides consensus in an asynchronous system)
 - ▶ Memory for individual “facts” in the network
 - ▶ A fact is a binding from a variable to a value

Paxos: Processor Assumptions

- ▶ Operate at arbitrary speed
- ▶ Independent, random failures
- ▶ Process with stable storage may rejoin protocol after failure
- ▶ Do not lie, collude, or attempt to maliciously subvert the protocol

Paxos: Network Assumptions

- ▶ All processors can communicate with one another
- ▶ Messages are sent asynchronously and may take arbitrarily long to deliver
- ▶ Order of messages is not guaranteed: they may be lost, reordered, or duplicated
- ▶ Messages, if delivered, are not corrupted in the process

Paxos in Chubby

- ▶ Replicas in a cell initially use Paxos to establish the leader.
- ▶ Majority of replicas must agree
- ▶ Replicas promise not to try to elect new master for at least a few seconds (“master lease”)
- ▶ Master lease is periodically renewed

Client Updates

- ▶ All replicas are listed in DNS
- ▶ All client updates go through master
- ▶ Master updates official database; sends copy of update to replicas
 - ▶ Majority of replicas must acknowledge receipt of update before master writes its own value
- ▶ Clients find master through DNS
 - ▶ Contacting replica causes redirect to master

Replica Failure

- ▶ If a replica fails and does not recover for a long time (a few hours), a fresh machine is selected to be a new replica, replacing the failed one
- ▶ New replica
 - ▶ Updates the DNS
 - ▶ Obtains a recent copy of the database
- ▶ Current master polls DNS periodically to discover new replicas

Chubby File System

- ▶ Looks like simple UNIX FS: /ls/foo/wombat
 - ▶ All filenames start with 'ls' (“lockservice”)
 - ▶ Second component is Chubby cell (“foo”)
 - ▶ Rest of the path is anything you want
- ▶ No inter-directory move operation
- ▶ Permissions use ACLs, non-inherited
- ▶ No symlinks/hardlinks
- ▶ Files have version numbers attached
- ▶ Opening a file receives handle to file
 - ▶ Clients cache all file data including file-not-found

ACLs and File Handles

- ▶ **Access Control List (ACL)**
 - ▶ A node has three ACL names (read/write/change)
 - ▶ An ACL name is a name to a file in the ACL directory
 - ▶ The file lists the authorized users
- ▶ **File handle:**
 - ▶ Has check digits encoded in it; cannot be forged
 - ▶ Sequence number: a master can tell if this handle is created by a previous master
 - ▶ Mode information at open time: If previous master created the handle, a newly restarted master can learn the mode information

Use of Sequences

- ▶ **Lock problems in distributed systems**
 - ▶ A holds a lock L, issues request write W, then fails
 - ▶ B acquires L (because A fails), performs actions
 - ▶ W arrives (out-of-order) after B's actions
- ▶ **One approach is to prevent other clients from getting the lock if a lock become inaccessible or the holder has failed**
- ▶ **Another approach: Sequencer**
 - ▶ A lock holder can obtain a sequencer from Chubby
 - ▶ It attaches the sequencer to any requests that it sends to other servers (e.g., Bigtable)
 - ▶ The other servers can verify the sequencer information

Chubby Events

- ▶ Master notifies clients if files modified, created, deleted, lock status changes, etc
- ▶ Clients can subscribe to events (up-calls from Chubby library)
 - ▶ File contents modified: if the file contains the location of a service, this event can be used to monitor the service location
 - ▶ Master failed over
 - ▶ Child node added, removed, modified
 - ▶ Handle becomes invalid: probably communication problem
 - ▶ Lock acquired (rarely used)
 - ▶ Locks are conflicting (rarely used)
- ▶ Push-style notifications decrease bandwidth from constant polling

APIs

- ▶ **Open()**
 - ▶ Mode: read/write/change ACL; Events; Lock-delay
 - ▶ Create new file or directory?
- ▶ **Close()**
- ▶ **GetContentsAndStat(), GetStat(), ReadDir()**
- ▶ **SetContents(): set all contents; SetACL()**
- ▶ **Delete()**
- ▶ **Locks: Acquire(), TryAcquire(), Release()**
- ▶ **Sequencers: GetSequencer(), SetSequencer(), CheckSequencer()**

Example: Primary Election

```
Open("write mode");
If (successful) {
    // primary
    SetContents("identity");
}
Else {
    // replica
    open ("read mode", "file-modification event");
    when notified of file modification:
        primary= GetContentsAndStat();
}
```

Client Caching

- ▶ Clients cache all file content
- ▶ Strict consistency:
 - ▶ Lease based
 - ▶ Master will invalidate cached copies upon a write request
- ▶ Client must send respond to Keep-Alive message from server at frequent interval
- ▶ Keep-Alive messages include invalidation requests
 - ▶ Responding to Keep-Alive implies acknowledgement of cache invalidation
- ▶ Modification only continues after all caches invalidated or Keep-Alive time out

Client Sessions

- ▶ **Sessions maintained between client and server**
 - ▶ Keep-alive messages required to maintain session every few seconds
 - ▶ A client sends keep-alive requests to a master
 - ▶ A master responds by a keep-alive response
- ▶ **If session is lost, server releases any client-held handles.**
- ▶ **What if master is late with next keep-alive?**
 - ▶ Client has its own (longer) timeout to detect server failure

Master Failure

- ▶ If client does not hear back about Keep-Alive in local lease timeout, session is in jeopardy
 - ▶ Clear local cache
 - ▶ Wait for “grace period” (about 45 seconds)
 - ▶ Continue attempt to contact master
 - ▶ Successful attempt => ok; jeopardy over
 - ▶ Failed attempt => session assumed lost
- ▶ If replicas lose contact with master
 - ▶ They wait for grace period (4—6 secs)
 - ▶ On timeout, hold new election

Master Fail-over: Grace Period




Figure 2: The role of the grace period in master fail-over

Reliability

- ▶ Started out using replicated Berkeley DB
- ▶ Now uses custom write-thru logging DB
- ▶ Entire database periodically sent to GFS
 - ▶ In a different data center
- ▶ Chubby replicas span multiple racks

Scalability

- ▶ 90K+ clients communicate with a single Chubby master (2 CPUs)
- ▶ System increases lease times from 12 sec up to 60 secs under heavy load
- ▶ Clients cache virtually everything
- ▶ Data is small – all held in RAM (as well as disk)



2: Zookeeper

ZooKeeper

- ▶ Provides to HDFS functionality similar to that provided by Chubby to GFS
- ▶ Design inspired from Chubby
- ▶ Zookeeper is used to manage master election and store other process metadata
- ▶ Chubby and Zookeeper are both much more than a distributed lock service: implementations of highly available, distributed metadata file systems.

ZooKeeper

- ▶ Aims to provide a simple and high performance kernel for building more complex client
- ▶ Wait free
- ▶ FIFO
- ▶ No lock
- ▶ Pipeline architecture



What is coordination?


- ▶ Group membership
- ▶ Leader election
- ▶ Dynamic configuration
- ▶ Status monitoring
- ▶ Queuing
- ▶ Critical sections

Contributions

- ▶ **Coordination kernel**
 - ▶ Wait-free coordination
- ▶ **Coordination recipes**
 - ▶ Build higher primitives
- ▶ **Experience with Coordination**
 - ▶ Some application use ZooKeeper

Zookeeper Service

- ▶ **Znode**
 - ▶ In-memory data node in the Zookeeper data
 - ▶ Have a hierarchical namespace
 - ▶ UNIX like notation for path
- ▶ **Types of Znode**
 - ▶ Regular
 - ▶ Ephemeral
- ▶ **Flags of Znode**
 - ▶ Sequential flag



Zookeeper Service

- ▶ **Watch Mechanism**
 - ▶ Get notification
 - ▶ One time triggers
- ▶ **Other properties of Znode**
 - ▶ Znode isn't designed for data storage, instead it stores meta-data or configuration
 - ▶ Can store information like timestamp version
- ▶ **Session**
 - ▶ A connection to server from client is a session
 - ▶ Timeout mechanism

Client API

- ▶ Create(path, data, flags)
- ▶ Delete(path, version)
- ▶ Exist(path, watch)
- ▶ getData(path, watch)
- ▶ setData(path, data, version)
- ▶ getChildren(path, watch)
- ▶ Sync(path)
- ▶ Two version synchronous and asynchronous

Guarantees

- ▶ **Linearizable writes**
 - ▶ All requests that update the state of ZooKeeper are serializable and respect precedence
- ▶ **FIFO client order**
 - ▶ All requests are in order that they were sent by client.

Examples of primitives

- ▶ **Configuration Management**
 - ▶ For dynamic configuration propose
 - ▶ Simplest way is to make up a znode `c` for saving configuration.
 - ▶ Other processes set the watch flag on `c`
 - ▶ The notification just indicate there is a update without telling how many time updates occurs

Examples of primitives

▶ Rendezvous

- ▶ Configuration of the system may not be sure at the beginning
- ▶ Create a znode r for this problem
- ▶ When master starts he fills the configuration in r
- ▶ Workers watch node r
- ▶ Set to ephemeral node

Examples of primitives

- ▶ **Group Membership**
 - ▶ Create a znode g
 - ▶ Each process create a znode under g in ephemeral mode
 - ▶ Watch g for group information

Examples of primitives

- ▶ **Simple Lock**
 - ▶ Create a znode l for locking
 - ▶ If one gets to create l he gets the lock
 - ▶ Others who fail to create watch l
 - ▶ Problems: herd effect

Examples of primitives

▶ Simple Lock without herd effect

Lock

```
1 n = create(l + "/lock-", Ephemeral|Sequential)
2 C = getChildren(l, false)
3 if n is lowest znode in C, exit
4 p = znode in C ordered just before n
5 if exists(p, true) wait for watch event
6 goto 2
```

Unlock

```
1 delete(n)
```

Examples of primitives

▶ Read/Write Lock

Write Lock

```
1 n = create(l + "/write-", EPHMERAL|SEQUENTIAL)
2 C = getChildren(l, false)
3 if n is lowest znode in C, exit
4 p = znode in C ordered just before n
5 if exists(p, true) wait for event
6 goto 2
```

Read Lock

```
1 n = create(l + "/read-", EPHMERAL|SEQUENTIAL)
2 C = getChildren(l, false)
3 if no write znodes lower than n in C, exit
4 p = write znode in C ordered just before n
5 if exists(p, true) wait for event
6 goto 3
```

Examples of primitives


▶ Double Barrier

- ▶ To synchronize the beginning and the end of computation
- ▶ Create a znode b, and every process needs to register on it, by adding a znode under b
- ▶ Set a threshold that starts the process

Application


▶ Fetching Service

- ▶ Using ZooKeeper for recovering from failure of masters
- ▶ Configuration metadata and leader election



Application

- ▶ Yahoo Message Broker
 - ▶ A distributed publish-subscribe system





3: Zab

Zab

- ▶ It provides an important service for Zookeeper
- ▶ Atomic broadcast for primary-backup schemes
- ▶ Addresses the scenario when the primary (i.e the leader) fails
- ▶ Semantics
 - ▶ Primary order: similar but different from causal order
- ▶ Assumes that state changes are idempotent, i.e. applying the same state multiple times does not lead to inconsistencies
 - ▶ At least once semantics is enough

2PC Simplified Version: No Failures

Coordinator:

Multicast *ready_to_commit*

Collect replies

All *Ok* => send *commit*


Else => send *abort*

Participant receives:

ready_to_commit => save to temp area and reply *Ok*

commit => make changes permanent

abort => delete temp area



Zab vs Group Communication

- ▶ Zab does borrow some concepts from group communication
- ▶ Group communication also uses the notion of VIEW – to define membership
 - ▶ View changes take place because of join/leave, process crashes and network partitions
- ▶ Zab uses VIEWS to identify leadership of primaries
 - ▶ View changes take place when a primary crashed or lost support from a quorum

Other features

- ▶ Support for prefix of transactions submitted concurrently by a client are applied in FIFO order
- ▶ Fast recovery from primary crashes: allows the primary to identify the sequence of transactions to recover the application state
 - ▶ Does not need to reexecute orderings for pending transactions

Process roles

- ▶ All process either Lead or Follow
- ▶ Followers
 - ▶ Maintain a history of transactions
- ▶ Leader
 - ▶ Can change
- ▶ Transactions are identified by $\langle e, c \rangle$
 - ▶ e is the epoch number of the leader
 - ▶ C: epoch counter

Properties of the PO Broadcast

- ▶ **Integrity**
 - ▶ Only broadcast transactions are delivered
 - ▶ Leaders recovers before broadcasting new transactions
- ▶ **Total order**
- ▶ **Agreement**
 - ▶ Followers deliver the same transaction and in the same order
- ▶ **They are defined with respect to the leadership of a leader**
 - ▶ Similar with the way such properties were defined in the context of Virtual Synchrony

Primary Order

- ▶ **Local order:**
 - ▶ Order in which transactions are accepted by the leader
- ▶ **Global order:**
 - ▶ Defined by the order of epochs

Zab

- ▶ **Phase 0 – Leader election**
 - ▶ Prospective leader L elected
- ▶ **Phase 1 – Discovery**
- ▶ **Phase 2**
 - ▶ Followers promise not to go back to previous epochs
 - ▶ Followers send to the leader L their last epoch and history
 - ▶ L selects longest history of latest epoch
- ▶ **Phase 3 – Synchronization**
 - ▶ Sends new history to followers
 - ▶ Followers confirm leadership
- ▶ **Phase 3 – Broadcast**
 - ▶ Proposes new transactions
 - ▶ Commits if quorum acknowledges